

Appl. No. : 10/804,768
Filed : March 19, 2004

AMENDMENTS TO THE CLAIMS

Please cancel Claims 11 and 21, without prejudice.

Please amend Claims 1-2, 5-7, 10, 14 and 16-20 as follows.

1. (Currently amended) A bus interface extender used to increase an amount of PCI bus devices that can be controlled by a PCI bus arbitrator, wherein the PCI bus arbitrator includes a plurality of first pins, and each of the first pins can be electrically coupled to a corresponding first PCI bus device, so the PCI bus arbitrator arbitrates request signals asking for use of a bus channel sent by the first PCI bus devices, the bus interface extender including:

a plurality of second pins; and

at least one third pin, wherein the at least one third pin is electrically coupled to a corresponding one of the first pins of the PCI bus arbitrator, and each of the second pins can be electrically coupled to a corresponding second PCI bus device, so the bus interface extender arbitrates each request signal sent by each second PCI bus device through the second pins asking for use of a bus channel, according to a first grant signal, that allows the use of the bus channel and is produced after arbitrating by the PCI bus arbitrator and received by the bus interface extender through the at least one third pin.

2. (Currently amended) The bus interface extender according to claim 1, further comprising:

a priority decision module for determining a priority sequence in using the bus channel for each second PCI bus device according to a priority decision rule;

a grant decision module for deciding one of the second PCI bus devices with the highest priority according to the priority decision rule and confirming whether the second PCI bus device with the highest priority is in request status; and

a PCI bus signal processing module for correspondingly sending a second grant signal to a proper one of the second PCI bus device according to the first grant signal and a decision result

Appl. No. : **10/804,768**
Filed : **March 19, 2004**

decided by the grant decision module to form signal transmission between the proper one of the second PCI bus device and a system bus.

3. (Original) The bus interface extender according to claim 2, wherein the priority decision rule uses a fixed-priority arbitration mode.

4. (Original) The bus interface extender according to claim 2, wherein the priority decision rule uses a round-robin priority arbitration mode.

5. (Currently amended) The bus interface extender according to claim 1, wherein the PCI bus arbitrator and the bus interface extender are installed in a PCI bus architecture.

6. (Currently amended) The bus interface extender according to claim 1, wherein at least one of the second PCI bus devices sends a request signal of asking use of the bus channel to the PCI bus arbitrator through the at least one third pin of the bus interface extender, and the request signal asking for use of the bus channel is arbitrated by the PCI bus arbitrator.

7. (Currently amended) A bus interface extender used to electrically couple to a PCI bus arbitrator to increase an amount of PCI bus devices that can be controlled by the PCI bus arbitrator, wherein at least one first PCI bus device is coupled to the PCI bus arbitrator directly, and at least one second PCI bus device is electrically coupled to the bus interface extender, so that the PCI bus arbitrator can arbitrate any request signals sent from each first PCI bus device and each second PCI bus device through the bus interface extender, the bus interface extender including:

a priority decision module for determining a priority sequence in using a bus channel for each the at least one second PCI bus device according to a priority decision rule;

Appl. No. : **10/804,768**
Filed : **March 19, 2004**

a grant decision module for deciding one of the at least one second PCI bus device with the highest priority according to the priority decision rule, and the at least one second PCI bus device with the highest priority has sent a request signal; and

a PCI bus signal processing module for correspondingly sending a second grant signal to the at least one second PCI bus device with the highest priority according to the first grant signal and a decision result decided by the grant decision module to form signal transmission between the at least one second PCI bus device with the highest priority and a system bus.

8. (Original) The bus interface extender according to claim 7, wherein the priority decision rule uses a fixed-priority arbitration mode.

9. (Original) The bus interface extender according to claim 7, wherein the priority decision rule uses a round-robin priority arbitration mode.

10. (Currently amended) A bus interface extending method, using an extender to increase an amount of PCI bus devices controllable by a PCI bus arbitrator, wherein the PCI bus arbitrator is electrically coupled to at least one first PCI bus device directly, and the extender is electrically coupled to at least one second PCI bus device, so that the PCI bus arbitrator can arbitrate any request signals sent from each first PCI bus device and each second PCI bus device through the extender, bus interface extending method comprising:

receiving a first grant signal after arbitrating through the extender;

searching for one having the highest priority from the at least one second PCI bus device according to a priority sequence of each second PCI bus device predetermined in a priority decision rule, wherein the at least one second PCI bus device with the highest priority has sent a request signal; and

sending a second grant signal to the at least one second PCI bus device with the highest priority by the extender to grant access of forming a channel for controlling signal transmission between the at least one second PCI bus device with the highest priority and a system bus.

11. (Cancelled).

12. (Original) The bus interface extending method according to claim 10, wherein the priority decision rule uses a fixed-priority arbitration mode.

13. (Original) The bus interface extending method according to claim 10, wherein the priority decision rule uses a round-robin priority arbitration mode.

14. (Currently amended) A bus system, electrically coupled to a plurality of first PCI bus devices and a plurality of second PCI bus devices, the bus system comprising:

a PCI bus arbitrator coupled to the first PCI bus devices and an extender for arbitrating a request signal sent by any of the first PCI bus devices and the extender; and

the extender electrically coupled between the PCI bus arbitrator and the second PCI bus devices for transmitting a request signal sent by any of the second PCI bus devices to the PCI bus arbitrator for arbitrating, and when the extender receives a grant signal produced by the PCI bus arbitrator after arbitrating, the extender transmits the grant signal to a proper one of the second PCI bus devices according to a priority sequence and request status of the second PCI bus devices, so as to form a signal transmission channel between the proper one of the second PCI bus devices and a system bus.

15. (Original) The bus system according to claim 14, wherein the bus system is a PCI bus system.

16. (Currently amended) The bus system according to claim 15, wherein the extender includes a memory medium and a circuit logic, the memory medium is used to store the priority sequence, and the circuit logic is used to determine grant of access to the grant signal to a corresponding one of the second PCI bus devices according to the memory medium.

Appl. No. : **10/804,768**
Filed : **March 19, 2004**

17. (Currently amended) The bus system according to claim 16, wherein the circuit logic adjusts the priority sequence in the memory medium as each of the second PCI bus devices is granted the grant signal.

18. (Currently amended) A PCI bus device extending method, comprising:
coupling a plurality of first PCI bus devices to a PCI bus arbitrator;
coupling a plurality of second PCI bus devices to an extender;
coupling the extender to the PCI bus arbitrator;
sending a first request signal from the extender to the PCI bus arbitrator correspondingly when the extender receives a second request signal sent by the second PCI bus devices; and
sending a second grant signal from the extender to a proper one of the second PCI bus devices correspondingly according to a priority sequence of the second PCI bus devices when the extender receives a first grant signal sent from the PCI bus arbitrator.

19. (Currently amended) The PCI bus device extending method according to claim 18, wherein the priority sequence of each second PCI bus device is fixed.

20. (Currently amended) The PCI bus device extending method according to claim 18, wherein the priority sequence is changed and adjusted with a sequence when each second PCI bus device is granted the second grant signal.

21. (Cancelled).